

# THE BATTLEFIELD-PROVEN KNIGHT TARGETING SYSTEM, UNDER ARMOR

The Armored Knight evolved from the need to provide enhanced protection to soldiers who perform the targeting mission in a high-threat environment. This latest application of the Knight targeting package-on a more survivable platform-highlights the versatility of the design.

The Knight is a precision targeting system consisting of a laser designator/range finder, day/night electro-optic sensor, digital command and control, blended inertial/global positioning system navigation and targeting, and a self-defense weapon. Its mission is to provide precision far-target location and laser target designation for both artillery and air-delivered general purpose and precision-guided munitions.

The Knight system possesses the targeting accuracy required by today's precision-guided "smart" munitions, such as the Joint Direct Attack Munition and Excalibur.

#### **HIGHLIGHTS**

- · Precision targeting solution
- Full armor protection
- Platform- and sensor-independent
- Mission equipment package commonality with these vehicle platforms:
  - Bradley Fire Support Vehicle Mission Equipment Package (M7 BFIST)
  - M707 Knight
  - Stryker Fire Support Vehicle



## M1200 ARMORED KNIGHT

### **VERSATILITY**

The Knight system was designed from the outset to be both platform- and sensor-independent. The next generation M1200 Armored Knight integrates the base Knight targeting and communications package, in addition to providing improved ballistic protection to the crew. The system employs the Fire Support Sensor System (FS3) and the Lightweight Laser Designator Rangefinder on the M1117 Armored Security Vehicle.

#### **PRECISION**

Knight is the only system in serial production today with targeting accuracy equivalent to the delivery accuracies of today's precision-guided munitions, such as the Joint Direct Attack Munition and Excalibur. Knight's position/navigation subsystem combines inputs from a laser rangefinder, inertial navigation unit, global positioning system (GPS) receiver and a vehicle motion sensor to provide precise self-location, navigation, and far-target location data. This data is then automatically formatted within the fire support tactical data system for immediate digital transmission as a call-for-fire or other message. Position and targeting data can also be incorporated into other battlefield command and control systems as necessary.



#### PERFORMANCE FEATURES

## SPECIFICATIONS

Far target location (NATO standard target)	< 20 m Circular Error Probable / < 15 m Probable Error at 5 km < 30 m Circular Error Probable / < 25 m Probable Error at 10 km unaffected by loss of GPS signal input
Laser designation (NATO standard target)	5 km (stationary target) 3 km (moving target)
Land navigation waypoints	Blended GPS / inertial navigation system with odometer input; up to 100 stored

Silent watch duration 2 hours at 0° C

Automated digital interface of target data to artillery / battle management systems

Incorporates up to four multi-band Combat Net radios

#### **Land Systems**

4201 Innovation Way Saint Louis, MO 63044 USA T +1 314 553 4000 LS-info@drs.com Cleared by U.S. DoD/OSR for public release under OSR Case Number 07-S-2992, dated November 27, 2007. Copyright © Leonardo DRS, Inc. 2019 All Rights Reserved.



<sup>\*</sup> Depending on configuration